




What the World Needs. **NOW**

Solarni-paneli.hr Mounting System


CJENIK





Hop Rail



Šifra	Nazi proizvoda	Cijena KN	Težina	Pakiranje/kom	Slika
SL-R-2560	HOP Rail with a standard length of 2560mm Designed to mount 3 modules (width 808-826mm)	144,00	2.8KG/PCS	8pcs/package	
SL-R-3405	HOP Rail with a standard length of 3405mm Designed to mount 4 modules (width 808-826mm)	198,00	3.8KG/PCS		
SL-R-4200	HOP Rail with a standard length of 4200mm Designed to mount 4 modules (width 990-996mm)	248,00	4.6KG/PCS		
SL-R-4400	HOP Rail with a standard length of 4400mm Designed to mount 4 modules (width 1060-1065mm)	252,00	4.8KG/PCS		
SL-Rail	Rail with customized length	60,00/Metar	1.1KG/Meter		

Rail Splice Kit




Item No.	Description	Cijena KN	Weight	Package	Picture
SL-R-SPK	HOP Standard splice kit connect two piece of rails	23,80	0.12KG/PCS	70 set/box 4 box/ctn	







Clamp Kit




Item No.	Description	Cijena kn	Weight	Package	Picture
SL-AIC	Adjustable clamp 35-50mm	11,48		50 set/boc 4 box/ctn	
SL-AEC	Adjustable clamp 35-50mm	10,20		50 set/boc 4 box/ctn	

SL-ICK-35	HOP Inner Clamp Kit 35mm	9,50 kn	0.061KG/PCS	100 set/box 4 box/ctn	
SL-ICK-40	HOP Inner Clamp Kit 40mm	9,50	0.063KG/PCS		
SL-ICK-45	HOP Inner Clamp Kit 45mm	9,90	0.065KG/PCS		
SL-ICK-50	HOP Inner Clamp Kit 50mm	10,50	0.067KG/PCS		
SL-ECK-35	HOP end Clamp Kit 35mm	7,90	0.050KG/PCS	100 set/box 4 box/ctn	
SL-ECK-40	HOP end Clamp Kit 40mm	7,90	0.053KG/PCS		
SL-ECK-45	HOP end Clamp Kit 45mm	8,50	0.056KG/PCS		
SL-ECK-50	HOP end Clamp Kit 50mm	8,50	0.059KG/PCS		



Tile Roof





Item No.	Description	Cijena KN	Weight	Package	Picture
SL-RH-1#	HOP Stainless Steel Hook 1#	55,80 kn	0.65KG/PCS	10 set/box 4 box/ctn	
SL-RH-2#	HOP Stainless Steel Hook 2#	55,80	0.63KG/PCS	10 set/box 4 box/ctn	
SL-RH-3#	HOP Stainless Steel Hook 3#	55,80	0.65KG/PCS	10 set/box 4 box/ctn	

SL-RH-4#	HOP Stainless Steel Hook 4#	55,80	0.68KG/PCS	10 set/box 4 box/ctn	
SL-RH-5#	HOP Stainless Steel Hook 5#	55,80	0.55KG/PCS	15 set/box 4 box/ctn	
SL-RH-6#	HOP Stainless Steel Hook 6#	55,80	0.56KG/PCS	15 set/box 4 box/ctn	
SL-RH-7#	HOP Stainless Steel Hook 7#	55,80	0.42KG/PCS	20 set/box 4 box/ctn	
SL-RH-8#	HOP Stainless Steel Hook 8#	55,80	0.43KG/PCS	15 set/box 4 box/ctn	
SL-RH-11#	HOP Stainless Steel Hook 11#	81,60	1.10KG/PCS	5 set/box 4 box/ctn	



SL-RH-12#	HOP Stainless Steel Hook 12#-135mm	76,80	0.90KG/PCS	5 set/box 4 box/ctn	
SL-RH-13#	HOP Stainless Steel Hook 13#-165mm	79,20	0.95KG/PCS	5 set/box 4 box/ctn	
SL-RH-14#	HOP Stainless Steel Hook 14#-195mm	81,60	1.00KG/PCS	5 set/box 4 box/ctn	

Tin Roof Hook


Item No.	Description	Cijena KN	Weight	Package	Picture
SL-TH-L	Aluminium Tin interface hook L Feet, fix rail to tin roof	19,50	0.13KG/PCS	50 set/box 4 box/ctn	
SL-TH-T	Aluminium Tin interface hook T Feet, fix rail to tin roof	29,50	0.17KG/PCS	50 set/box 4 box/ctn	

SL-TH-1#	HOP Stainless Steel Tin Roof Hook 1#	45,00	0.32KG/PCS	40 set/box 4 box/ctn	
SL-TH-2#	HOP Stainless Steel Tin Roof Hook 2#	45,00	0.32KG/PCS	40 set/box 4 box/ctn	
SL-TH-3#	HOP Stainless Steel Tin Roof Hook 3#	45,00	0.32KG/PCS	40 set/box 4 box/ctn	
SL-TH-M10	Double Threaded Screw M10*200mm	49,00	0.35KG/PCS	40 set/box 4 box/ctn	


Adjustable System

Item No.	Description	Cijena KN	Weight	Package	Picture
SL-AD-FL	Adjustable Tin Roof Front Support Leg, designed to accommodate to various tilt angles	42,00	0.32KG/PCS	20 set/box 4 box/ctn	
SL-AD-RL-1	Adjustable Tin Roof Rear Support Leg 10-15degree	79,00	0.55KG/PCS	20 set/ctn	
SL-AD-RL-2	Adjustable Tin Roof Rear Support Leg 15-30degree	119,00	0.72KG/PCS	20 set/ctn	
SL-AD-RL-3	Adjustable Tin Roof Rear Support Leg 30-60degree	115,00	1.00KG/PCS	20 set/ctn	


Tripod

Item No.	Description	Cijena KN	Weight	Picture
SL-FRT-SL-1	Flat roof tripod mounting also could apply to tin roof, the angel can be fixed,adjustable,the default adjustable angel range is 10-15°, and can do customized for different requirements.	288,00	3.9KG/PCS	
SL-FRT-SL-2	Flat roof tripod mounting also could apply to tin roof, the angel can be fixed,adjustable,the default adjustable angel range is 15-30°, and can do customized for different requirements.	294,00	4.1KG/PCS	
SL-FRT-SL-3	Flat roof tripod mounting also could apply to tin roof, the angel can be fixed,adjustable,the default adjustable angel range is 30-60°, and can do customized for different requirements.	299,00	4.3KG/PCS	





Flat Roof System

Item No.	Description	Cijena KN	Weight	Picture
SL-FRA-SL	Applying to rotating end of rail(Does not include rail)	360,00	1.5KG/PCS	


Pole Mounting System

Item No.	Description	Cijena KN	Weight	Picture
SL-PM-04	Designed to mount 4 panels	2990,00	115KG/PCS	
SL-PM-06	Designed to mount 6 panels			
SL-PM-08	Designed to mount 8 panels	4990,00	150KG/PCS	
SL-PM-10	Designed to mount 10 panels			




Ground Mounting System

Item No.	Description	Cijena KN	Weight	Picture
SL-RP	Using galvanized tube fix with the ground, material is Q235, surface treatment is hot zinc, the thickness of film more than 80µm	96/Metar	4.2KG/Meter	
SL-ST	Using galvanized tube fix with the ground, material is Q235, surface treatment is hot zinc, the thickness of film more than 80µm	119,00	5.3KG/PCS	
SL-STC	The steel Cap connect the vertical pipe, cross pipe and the rectangular tube	216,00	3.5KG/PCS	
SL-SK	Use U bolt to connect the pipe with rail	29,00	0.5 KG/PCS	

Ground Mounting System

Item No.	Description	Cijena KN	Weight	Picture
SL-GM-03	Ground mounting system III is applicable to use in a medium-scale PV system which includes from residential and commercial opening areas, it's not only used in ground but also used on the flat roof.	1750,00kn/SET	55KG/Set	

Earthing System

Item No.	Description	Cijena KN	Weight	Package	Picture
SL-ELG	Used with copper wires to provide a continuous ground on solar PV systems.	13,50 kn	0.05 KG/PCS	200 set/box 4 box/ctn	
SL-EBJ	Used to create an electrical connection between rails.	18,00	0.15 KG/PCS	100 set/box 4 box/ctn	
SL-ECL-A	Used to bond modules to mounting structures and create an electrical path to ground.	3,30	0.003KG/PCS	1200 set/box 4 box/ctn	
SL-ECL-B		3,30	0.004KG/PCS		